HI-RESOLUTION

EBS-2600

HIGH-RESOLUTION INDUSTRIAL INKJET PRINTER





131458 2600.indd 2

Ideal for printing on porous surfaces

Top printing quality - everytime!

The EBS-2600 is a highly-modern, compact system for high-resolution prints on many surfaces. With its modern, intuitive and reliable design, the printer is ready for operation within seconds. It can be operated via the convenient colour-touchscreen display or remotely via a web browser.

Ecological and efficient!

Up to 510 dots vertically and more than 71mm high, at 180 dpi. Text in every print type and height, raster graphics, geometrical figures, barcodes and 2-dimensional codes can be conveniently created and printed.

Thanks to a highly-efficient printhead, the EBS-2600 can reduce marking costs to a minimum. A maximum power consumption of 15 watts rounds off the picture.

For perfect print intensity and durability, we have developed special oil-based inks.

These are characterized by excellent adhesion to a number of surfaces, especially on porous surfaces like pallets, boxes, crates etc.

And the ecological aspect is not to be disregarded, as solvent-free and odourless consumables are used.

Our marking systems are already successfully used in the logistics industry, the wood-processing industry and in packaging lines and today replace expensive labellers as well as gas and electric branding irons in the woodworking industry.





Printing on cardboard

EPAL-certified marking system for pallets

131458 2600.indd 3 8/28/24 3:50 PM

Specifications

| Technical Details | |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print height | up to 71.8 mm |
| Maximum speed at 180 dpi | up to 60m/min. |
| Number of dots per vertical row | 510 |
| Internal print memory | 4 GB |
| Ink type | oil-based |
| External interfaces | Ethernet, USB, RS232 or RS485 |
| Recognition of objects | integrated photocell, external signals |
| Barcodes | all common 1D and 2D barcodes |
| Graphics & special characters | monochrome PNG-data, simple geometrical shapes/figures (line, rectangle, ellipsis), character matrix / TrueType®-fonts, support for Unicode UTF-8 diacritical characters |
| Special registers | date and time in any format (actual or offset), incremental or decremental counter, cascading counter, data from external devices, data from text files |
| Printer programming | integrated 5.7-inch colour LCD touch panel, remote access via a web browser (platform independent) or with the Offline-Editor - EBS Web User Interface (Windows® only) |
| User administration | multiple-level access control, administration of user accounts possible |
| User interface languages | German, English, Polish, Chinese, Czech, French, Italian, Spanish, Turkish, Russian and others |
| Function output | signal lights output, production stop output |
| Data base support | MySQL, SQL Server, PostgreSQL and others |
| Print technology | DOD - drop on demand, Piezo |
| Power supply & consumption | AC 100-240 V / 50/60 Hz / max. 0.65 – 0.3 A max. 15 W |
| Relative humidity | 10% to 85% without condensation |
| Ambient temperature | 5 - 40°C (can vary with different ink types) |
| Weight | approx. 4.8kg (without consumables) |
| Dimensions | 210 x 160 x 420 mm |
| Subject to change & errors | |

131458 2600.indd 4 3:50 PM

Depend on the EBS Group

EBS Ink-Jet Systems has been providing leadingedge solutions for contact-free coding since 1977.

Today the EBS Group consists of four primary companies located in Germany, Poland, China, and the United States. In addition, we maintain several subventures and numerous cooperative partnerships.

We engineer, develop and produce our own systems. The EBS Group sales network consists of over 120 distributors, dealers and OEMs in more than 60 countries. All share these common goals:

- Superior quality
- Outstanding service
- · High-quality products
- Fair pricing
- Total customer satisfaction



SALES, LOGISTICS & TECHNICAL SUPPORT

EBS Ink-Jet Systems USA, Inc. 1840 Industrial Drive - Suite 200 Libertyville, IL 60048 USA

Tel: (001) 847 996 0739 Fax: (001) 847 996 0843

E-Mail: america@ebs-inkjet.com www.ebs-inkjet-usa.com



CHINA

EBS Ink-Jet Systems (SHENZHEN) Co., Ltd. Unit 608, Building Jin-Hui-Qiu No.5, Langshan 2nd Road, Gaoxin bei qu, Nanshan District 518057 Shenzhen China Tel: (+86) 755 2340 0676

Fax:(+86) 755 2340 0376 E-Mail: office@ebs-china.com www.ebs-inkjet-china.com



PRODUCTION & DEVELOPMENT

HEADQUARTERS GERMANY

EBS Ink Jet Systeme GmbH Alte Ziegelei 19-25 51588 Nümbrecht-Elsenroth Deutschland

Tel: 02293 / 939-0 Fax: 02293 / 939-3 E-Mail: mail@ebs-inkjet.de www.ebs-inkjet.de



POL AND

EBS Ink-Jet Systems Poland Sp.z o.o. ul. Tarnogajska 13 50-512 Wroclaw (Breslau)

Polen

Tel: (+48) 7136 70411 Fax: (+48) 7137 33 269 E-Mail: office@ebs-inkjet.pl www.ebs-inkjet.pl

Distributor:



EBS Ink-Jet Systems USA, Inc. 1840 Industrial Drive, Suite 200 Libertyville, IL 60048 Phone: 1-847-996-0739 Email: sales@ebs-inkjet.com www.ebs-inkjet-usa.com

Printed in U.S.A. February 2024

131458 2600.indd 1 8/28/24 3:50 PM